



March 2024| NASDAQ: BYSI



Disclaimer

This presentation has been prepared for informational purposes only. No money or other consideration is being solicited, and if sent in response, will not be accepted. This presentation shall not constitute an offer to sell, or the solicitation of an offer to buy, any securities, nor shall there be any sale of these securities in any state or jurisdiction in which such offer, solicitation or sale would be unlawful prior to registration or qualification under the securities laws of any such state or jurisdiction. The Company is not under any obligation to make an offering. It may choose to make an offering to some, but not all, of the people who indicate an interest in investing. The information included in any registration statement will be more complete than the information the Company is providing now, and could differ in important ways.

This presentation and any accompanying oral commentary contain forward-looking statements about BeyondSpring Inc. (“BeyondSpring” or the “Company”). Forward-looking statements are based on our management’s beliefs and assumptions and on information currently available to our management, including those described in the forward-looking statements and risk factors sections of the Company’s 20-F filed on April 18, 2023 and other filings with the United States Securities and Exchange Commission (SEC).






Such statements are subject to known and unknown risks, uncertainties, and other factors that may cause our or our industry’s actual results, levels of activity, performance, or achievements to be materially different from those anticipated by such statements. In some cases, you can identify forward-looking statements by terminology such as “may,” “will,” “should,” “expects,” “plans,” “anticipates,” “believes,” “estimates,” “predicts,” “potential,” “intends,” or “continue,” or the negative of these terms or other comparable terminology. Forward-looking statements contained in this presentation include, but are not limited to, (i) statements regarding the timing of anticipated clinical trials for our product candidates and our research and development programs; (ii) the timing of receipt of clinical data for our product candidates; (iii) our expectations regarding the potential safety, efficacy, or clinical utility of our product candidates; (iv) the size of patient populations targeted by our product candidates and market adoption of our product candidates by physicians and patients; and (v) the timing or likelihood of regulatory filings and approvals.

Except as required by law, we assume no obligation to update these forward-looking statements publicly, or to update the reasons why actual results could differ materially from those anticipated in the forward-looking statements, even if new information becomes available in the future.





The market data and certain other statistical information used throughout this presentation are based on independent industry publications, governmental publications, reports by market research firms or other independent sources. Some data are also based on our good faith estimates. Although we believe these third-party sources are reliable, we have not independently verified the information attributed to these third-party sources and cannot guarantee its accuracy and completeness. Similarly, our estimates have not been verified by any independent source.

By attending this presentation, you acknowledge that you will be solely responsible for your own assessment of the market and our market position and that you will conduct your own analysis and be solely responsible for forming your own view of the potential future performance of our business.

Investment Highlights

	Plinabulin: Safety & Efficacy	Lead Asset Plinabulin: >700 cancer patients treated with good tolerability; Positive Phase 3 data in 2 indications
	Plinabulin Potential	Plinabulin: Dual Benefit in anti-cancer and prevention of CIN; Potential in re-sensitizing in PD-1/PD-L1 progressed patients in multiple cancers
	SEED: Novel TPD Platform & Pipeline	SEED: 8 Disclosed Pipeline Assets with 1 expected to enter IND in 2024
	Premier Partnerships	SEED: Investment and R&D Collaboration from Eli Lilly
	Intellectual Property	Strong Intellectual Property and Technology Protection

Pipeline

	Indication/Target	Program	Preclinical	Phase 1	Phase 2	Phase 3	Registration	Trial Name / Collaborator
Late stage	NSCLC (2 nd /3 rd line)	Plinabulin + Docetaxel						DUBLIN-3
	CIN Prevention	Plinabulin + Pegfilgrastim						PROTECTIVE-1 & PROTECTIVE-2
Investigator Initiated Trials	ES-SCLC (1 st line)	Plinabulin + PD-1 + Etoposide / Platinum						
	NSCLC (2 nd /3 rd line PD-1 failed)	Plinabulin + PD-1 + Docetaxel						
	Multiple cancers (PD-1/PD-L1 failed)	Plinabulin + PD-1/PD-L1 + Radiation						THE UNIVERSITY OF TEXAS MDAnderson Cancer Center
	AHCT (hematopoietic stem cell transplantation) in Multiple myeloma	Plinabulin + Pegfilgrastim						 Memorial Sloan Kettering Cancer Center
Early Stage	Preclinical assets	BPI-002, BPI-003, BPI-004						
SEED	8 Disclosed Targets (Internal & Collaboration)	Targeted Protein Degradation (TPD) Molecular Glue Platform						






SEED Therapeutics: Target Protein Degradation (TPD 2.0) Company




TPD Targets 80% of Disease-Causing Proteins That are Currently Undruggable

Targeted Protein Degradation (TPD) Addresses 80% of Disease-Causing Proteins That are were Undruggable

TPD for Undruggable Proteins




Druggable Proteins



Sriram et al., Molecular Pharmacology, 2018

TPD Development History and Recent Renaissance

TPD Process




SEED Co-founders played pivotal roles in the advancement of TPD field

- 1996: **Dr. Michele Pagano (SEED co-founder)** discovered cell cycle regulation by TPD, including E3 ligases; published in *Science*
- 1999: **Dr. Lan Huang (SEED co-founder and CEO)** solved the 1st of the two E3 structures (HECT domain E3); published in *Science*
- 2002: **Dr. Ning Zheng (SEED co-founder)** solved the 2nd of the two E3 structure (Ring-finger E3); published in *Nature*
- 2003: US FDA approved **Velcade**, the first proteasome inhibitor for multiple myeloma. **Dr. Avram Hershko (SEED co-founder)** advised on Velcade development. Other companies started to develop new E3 inhibitors with no success
- 2004: **Dr. Avram Hershko won Nobel Prize** for his pioneering work in discovering all essential enzymes for TPD, including E1, E2, E3, and proteasome
- 2007: **Dr. Ning Zheng coined the term “Molecular Glue (MG)”** after solving TIR1 E3 structure and discovering the true function of Auxin, a plant hormone and the **first natural MG to be identified**; published in *Nature*
- 2010-2014: Revolutionary discovery of the mechanism of action of **Revlimid** (for treating multiple myeloma, had peak global annual sale of \$12.8b), a derivative of thalidomide, is in fact a MG, that binds to Cereblon (a E3) to degrade Ikaros (a mutated POI). This discovery, published in *Nature*, ushered in the **renaissance of TPD drug discovery**.

World Class Leadership Team and Exceptional Insights in TPD Drug Development

Avram Hershko MD, PhD⁺



“Godfather” of TPD;
2004 Nobel Laureate;
Advisor to Millennium on developing
Velcade

Ning Zheng, PhD⁺



Howard Hughes Professor, University of Washington; World’s foremost **thought leader on E3 and MG**

Michele Pagano, MD⁺



Howard Hughes Professor, NYU Medical School;
Global **thought leader on TPD biology and application**

Lan Huang, PhD⁺⁺
(Chairman & CEO)



E3 structural expert; Serial biotech entrepreneur with 20+ years of drug development experience, including assets that are NDA-ready

James Tonra, PhD^{*}
(President & CSO)



20+ years of drug discovery experience that led to **5 NDAs**; ex leadership role in Regeneron, Millennium, ImClone, Kadmon, and BYSI

Ko-Yung Tung, JD^{*}



Former Eisai director, World Bank general counsel, and lecturer at Harvard and Yale Law School; Expert in law and international business

Linus Lin, PhD^{*}



Global head of Lilly Chorus. Ex GM of Lilly China R&D Center, Head of Chemistry at WuXi AppTec, and led multiple drug discovery teams at Merck

Jackson Tai^{*}



Wuxi Biologics Audit Committee Chair; retired board members for Eli Lilly, HSBC, Mastercard; former DBS Bank CEO, former J.P. Morgan & Co, investment banker

Exceeding Seed Financing Expectations

SEED Internal Program Milestones

Development of SEED's unique TPD platforms and filed patents

- Multi-dimensional platforms to select the right E3 for any target;
- HTS screening and medicinal chemistry platforms which incorporate AI-predicted blood brain barrier penetration properties for CNS drug development,
- Proprietary statistical learning algorithms and neural networks (AI)

Infrastructure and Organization Building

- Renovated and occupied 10,000 sq ft SEED Headquarter, with 7,000 sq ft lab space;
- Hired full time drug R&D personnel, with significant focus on expertise in early-stage drug discovery and development

Translation of SEED Platforms into Drug Pipeline of 8 disclosed programs in various disease areas

RBM39 Degradar: POC in cell and animal models; lead candidate in oncology advancing to FHD around 1H 2025



Nov. 2020: SEED received \$10 M investment and entered into a research collaboration and license agreement with Eli Lilly on multiple targets in TPD (upfront \$10 M, up to \$780 M milestone payments and tiered sales royalties)

Jun. 2022: Received additional investment upon achieving 1st milestone

Feb. 2023: Received 2nd milestone payment


Mar. 2024: Received 3rd milestone payment

2024-2025: Target meaningful milestone payments

Eli Lilly Partner Program Milestones

SEED's Differentiation: Multi-dimensional Platforms for E3 Selection


Knowledge-based Quasi Degron Approach



Direct Binding Validation

E3	Target	Interaction
E3 A	Target 1	✗
E3 B	Target 1	✓
E3 C	Target 1	✗

LumID: Identify the right E3 in the “living cell” near protein of interest




8 Drug R&D Pipeline in Multiple Disease Areas

Indication	Target Protein	Target Selection	E3 Ligase ID	Molecular Glue HTS	Lead ID	IND Candidate	IND Filing
Oncology	RBM39	ST-00937					2025 FHD
	KRAS-G12D						
	Target Beta						
	FEN1						
Neurodegeneration	Target Alpha						
	Tau						
Immunology	Target Gamma						
Antiviral	HBx						


* SEED owns global IP on all programs except for two joint programs with Eli Lilly

Novel Molecular Glue for RBM39: ST-00937 Expected to Enter IND in 2024


POC: Degradation of Target protein in Cell



Superb In Vivo Efficacy: Complete Tumor Regression



Good In Vivo Safety: No Weight Loss



Human colorectal cancer cell line, colorectal xenograft in immunodeficient mice (Oral dose, twice daily)

TPD: a High Value and Novel Therapeutic Modality

All top 20 global pharma have TPD programs internally and / or through collaboration

Allosteric effect based

- Not MG selective
- Lack of evidence for TPD through small molecule-induced allosteric changes in protein structure

Cell-based HTS assays

- May not be MG selective
- Difficult to screen at higher compound concentrations that may be required



Covalent binder libraries

- Lack of evidence of target specificity
- No consideration for importance of Basal Interaction

AI-based approach

- Lack of evidence for applicability to Molecular Glue discovery from scratch and E3 selection

- **Discovery stage TPD assets** has been commanding **\$35 - \$60 million** upfront and **\$500 million - \$5 billion** milestone payment. Notable transactions include licensing and R&D collaboration deals between





- ✓ Genentech and Orionis; Genentech and Monte Rosa
- ✓ Astellas and Cullgen
- ✓ BMS and Evotec
- ✓ Genentech and Jemincare
- ✓ Bayer's acquisition of Vividion for **\$1.5 billion** in 2021
- ✓ Merck's acquisition of Peloton for **\$1.05 billion** in 2019

- **Pre-IND/ IND stage TPD assets** has been commanding **\$100 - \$300 million** upfront and **up to \$2 billion** milestone payment. Notable transactions include licensing deals of

- ✓ Eli Lilly from Foghorn
- ✓ Sanofi from Kymera
- ✓ GSK from IDEAYA
- ✓ BMS and Orum

- **Clinical stage TPD asset** (early Phase II) has commanded **\$650 million** upfront and **\$350 million** equity investment in
- ✓ Pfizer/ Arvinas' collaboration

Summary: First to Market and Best in Class






	Scalable Business Model	TPD has potential to target 80% of undruggable disease-causing proteins. > 600 E3 ligases to be used for multiple disease areas.
	Target-Centric Differentiation	Identify the right E3 for POI to increase the success rate in drug discovery: Platforms using Quasi-degron, LumID, and Basal Affinity
	Pioneering Effort	World-leading scientific founding team and experienced development team in successful translation of TPD platforms to 8 disclosed Assets.
	Two Prong Approach	De-risked revenue model: 1) R&D partnership for non-diluting financing (Eli Lilly); and 2) internal program development for value generation



Plinabulin: First-in-class Late Stage Clinical Asset for Cancer Treatment



First-in-class Asset: Plinabulin

	Advanced Clinical Stage Agent	<ul style="list-style-type: none">• Positive Phase 3 study in 2L/3L NSCLC, successfully demonstrated significant OS benefit, doubling 2-year, 3-year OS rate – proving plinabulin’s clinical utility
	Enhances Cancer-Immunity Cycle	<ul style="list-style-type: none">• Promising efficacy data in combination with PD-(L)1 and radiation, in IO-refractory patients across various cancers• Dual-acting IO MOA enhances the cancer immunity cycle, with potential to increase the efficacy and durability of checkpoint inhibitors and other immunotherapy agents
	Favorable Safety Profile	<ul style="list-style-type: none">• 700 cancer patients treated with good tolerability• Clinically-proven to significantly reduce chemotherapy-induced neutropenia, enabling extended dosing of neutropenia-limited regimens such as chemotherapy and potentially ADCs
	Ease of Use	<ul style="list-style-type: none">• Intravenous (IV) Infusion: 1 or 2 doses per cycle
	Strong Global Patent Protection	<ul style="list-style-type: none">• 170 Granted/Allowed Patent to 2038 in 48 jurisdictions• Strong combination utility with potential to extend patent life of an approved asset

Plinabulin is a Differentiated First-in-Class Tubulin Binder with a Uniquely Favorable Safety Profile


Plinabulin is a reversible tubulin binder and does not change tubulin dynamics

Conventional tubulin binding agents (such as taxanes, vinca alkaloids, and colchicine) alter tubulin dynamics upon binding, resulting in neutropenia and cardiac side effects.


Plinabulin's tubulin binding site is distinct from that of these other agents (first in class). Because **binding is reversible**, plinabulin does not change tubulin dynamics.

Consequently, **plinabulin exhibits a favorable safety profile**, differentiating it clinically from other tubulin binding agents with concerning side effects that restrict their clinical utility.

Tubulin Binding Sites



Plinabulin Binds to β -Tubulin, Near the Colchicine Site¹




¹ La Sala et al., 2019 Chem

Plinabulin: Induce Innate and Adaptive Immunity


By depolymerizing microtubules, plinabulin releases, or activates, immune-defense protein GEF-H1. This leads to dendritic cell maturation (the most potent APC).

Plinabulin Novel Target: Immune Defense Protein GEF-H1¹



In WT DC cells, plinabulin can induce DC maturation, but not in GEF-H1 deleted DC cells². CD80 and CD86 up-regulation are biomarkers for DC maturation.

DC activation in WT and GEFH1^{-/-} XS106 cells




AnsaP3, Maytansinoid cytotoxic (positive control compound), too toxic for human study

¹ La Sala et al., Chem 5(11): 2969-2986 (2019)

² Kashyap et al., Cell Reports 28(13): 3367-3380 (2019)

Plinabulin's Immunomodulation and Neutropenia-Mitigating Activities Position it as a Valuable Partner for Immuno-Chemotherapy Combination Regimens

These aspects result in an optimal scenario of added efficacy with potentially reduced toxicity.



Dendritic Cells

Plinabulin induces
dendritic cell maturation



**Enhanced antigen presentation
and T cell priming**

**Collaborates with PD1/PD-L1 targeting agents
to enhance T cell function and kill tumor cells**



M1-like Macrophages

Plinabulin stimulates
**M1-like macrophage
polarization and proliferation**



**Increased tumor cell killing and
cytotoxic T cell recruitment**



Improves Safety*

Plinabulin reduces
**chemotherapy-induced
neutropenia**



**Improved therapeutic index of
chemotherapy-based regimens**

**Extends therapeutic duration
of CPI + chemo combinations**



BeyondSpring

Plinabulin improves overall survival and enhances safety in 2L/3L NSCLC (Dublin-3 Study)



The EGFR-wild Type 2L/3L NSCLC Have Been a Historically Difficult Space in Which to Develop

Treatment options in 2L/3L NSCLC are limited

Docetaxel-based therapies are the mainstay therapy in 2L/3L NSCLC (EGFR wt).

However, **docetaxel-based therapies (SOC) demonstrate limited efficacy and are associated with >40% severe (grade 3/4) neutropenia.**

Other approved agents:

- Ramucirumab + Docetaxel vs. Docetaxel: OS HR=0.86, severe neutropenia 49% vs. 40%;
- Pembrexed vs. Docetaxel: OS HR=0.99, severe neutropenia 5% vs. 40%.

Additionally, with immunotherapies moving to first line NSCLC, **there is a growing population of 2L/3L patients that are refractory to immunotherapy.**

Attempts to address treatment needs have been challenging

Since Nivolumab's approval 8 years ago, no new agent with a novel mechanism has been approved in this indication.

Multiple Phase 3 studies (PD-1/PD-L1 failed patients, 2L/3L NSCLC), did not meet OS endpoint vs. docetaxel:

1. BMS' Nivolumab (PD-1 antibody) + Mirati's Sitravatinib (TKI) combination
2. Roche's Atezolizumab (PD-L1 antibody) + Exelixis's Cabozantinib (TKI)
3. Merck's Pembrolizumab (PD-L1 antibody) + Eisai's Lenvima (TKI)
4. Novartis' Canakinumab (IL-1b antibody) + docetaxel
5. Gilead's sacituzumab govitecan-hziy (ADC - antibody drug conjugate)

Recent successful phase 3 studies with mixed results:

- Lunar (TTFields vs. docetaxel): OS benefit (HR=0.74), but no PFS and ORR benefit;
- TROPION-Lung01 (Datopotamab deruxtecan vs. docetaxel): OS benefit (HR=0.90) in ITT population, with better OS (HR=0.75) in non-squamous NSCLC.


Plinabulin Has Been Evaluated in Combination with Docetaxel in a Phase 3 Study with advanced, Pre-treated NSCLC Patients

Docetaxel + Plinabulin vs. Docetaxel + Placebo in Patients with EGFR Wild-Type NSCLC

Study Plan	Primary endpoint	Secondary endpoints
<ul style="list-style-type: none">Global, randomized, single-blinded (patients only)Stratified by region (Asia/non-Asia), prior line (2L or 3L), ECOG (0-1/2), Prior PD-1/PD-L1 (yes/no)	Overall survival (OS)	<ul style="list-style-type: none">• ORR, PFS• Percent of patients without severe neutropenia (Day 8, cycle 1)• Month 24 and 36 OS rate• DoR• Q-TWiST; QoL• Proportion of patients who received docetaxel >8 cycles, >10 cycles and >12 cycles


Inclusion Criteria:

- Non-squamous or squamous NSCLC
- Stage IIIb/IV
- ECOG ≤ 2
- Progression during or after treatment with one or two treatment regimens containing a platinum
- Must have at least one measurable lung lesion
- **Prior checkpoint inhibitor therapy allowed¹**



¹ 85% CPI naïve; 15% failed PD-(L)1 blockade

Plinabulin + Docetaxel Met its Primary Endpoint (OS) and Showed Significant Improvement in Long-term OS Rate



Subjects at Risk


Docetaxel (75mg/m2) + placebo

281 97 21 4 0 0

Docetaxel (75mg/m2) + Plinabulin (30mg/m2)

278 108 41 10 3 0

	Mean OS (SE)	Median OS (95% CI)	HR
Docetaxel	12.77 (0.676)	9.4 (8.4, 10.7)	
Plinabulin + Docetaxel	15.05 (0.848)	10.5 (9.3, 11.9)	0.82 (0.68, 0.99)




OS Rate Increase Results

- Significantly increased OS rate in 24 months, and 36 months (doubling benefit)
- 48m OS rate: D + Product X (10.6%) vs D (0%)

Plinabulin Not Only Slows Progressive disease, but Also Increased the Tolerability of Docetaxel and Increased Duration of Treatment

Use of plinabulin significantly reduced Grade 4 neutropenia


Grade 4 neutropenia, All Cycles Day 8



Similar results were observed for Grade 4 neutropenia on Cycle 1 Day 8

...allowing more patients to remain on docetaxel for a longer duration

% Docetaxel exposure > 36 weeks



Addition of plinabulin to docetaxel also increased docetaxel exposure by mean dose (mg)

Plinabulin Successfully Improved Efficacy of SOC in 2L/3L NSCLC, Proving its Clinical Utility, Despite Historical Failures in this Space

The addition of plinabulin as a single agent added to 2L/3L NSCLC standard-of-care led to improved overall survival and enhanced safety

Efficacy

- Significant survival benefit in ITT (OS HR=0.82)
- Even more pronounced survival benefit in 2L (HR=0.78), or non-squamous NSCLC (HR=0.76)

Safety and tolerability

- The regimen is well tolerated. Side effects include transient hypertension which resolves in 4-6 hours, nausea, vomiting and GI side effects.
- Significant QoL benefit
- Docetaxel-induced neutropenia was reduced, allowing increased treatment exposure






Encouraging RT+PD-1+Plinabulin clinical data demonstrates Plinabulin's partnering potential with IO agents

Plinabulin Enhances the Cancer Immunity Cycle When Used with Radiation and Anti-PD1

② Plinabulin

Improved antigen presentation

Stimulate maturation of dendritic cells to increase antigen presentation.



① Radiation/Chemotherapy

Release tumor antigens

For more potent anti-cancer effect








①
Chemotherapy
Radiation Therapy
Oncolytic Viruses
Antibody Drug
Conjugates
Targeted Therapy

③ Checkpoint Inhibitors

Anti-tumor T cell activation

Optimize T cell response


Plinabulin is Being Evaluated in Multiple Immunotherapy Combination Trials in Collaboration with Major Pharmaceutical Companies

	Indication/Target	Program	Preclinical	Phase 1	Phase 2	Phase 3	Trial Name / Collaborator
Investigator Initiated Trials	ES-SCLC (1st line)	Plinabulin + PD-1 + Etoposide / Platinum					 MERCK 
	NSCLC (2nd/3rd line PD-1/PD-L1 progressed)	Plinabulin + PD-1 + Docetaxel					 MERCK 
	Multiple cancers (PD-1/PD-L1 progressed)	Plinabulin + PD-1/PD-L1 + Radiation					THE UNIVERSITY OF TEXAS MD Anderson Cancer Center

MD Anderson Phase 1 study clinical data and biomarker studies was presented at SITC conference in November 2023.


RT+anti-PD1+Plinabulin Triple Combination POC in Animals Provides Evidence of Plinabulin's Immunomodulatory activity

Tumor reduction is most robust in triple I/O combination




Plinabulin+RT+PD-1 induced ~80% tumor volume reduction in a preclinical cancer model

DC activation is most dramatic in triple I/O combination



T cell doubles in triple I/O combination vs. PD1 + IR




**Plinabulin+
RT+PD-1**

**increased DC maturation
and doubled CD4+ and
CD8+ T cells in tumor
samples 30 days after
treatment**


Clinical PoC in **Efficacy**: Plinabulin Triple Combo Produces Clinically Meaningful Responses in the Non-Irradiated Tumor Across Multiple Cancers after IO-failure

Plinabulin triple combination led to **70% DCR**
(3 PR, 4 SD) in 10 IO-failed patients with Tumor assessment



Durable response has been observed in 2 Hodgkin lymphoma patients who progressed after 12 or 16 prior lines of therapy.


Systemic abscopal effect seen comparing baseline and C3D1 for one Hodgkin lymphoma patient




Clinical PoC in MOA: Plinabulin-Responding Patients Show Early Immune Activation Evidenced by DC Maturation and Proinflammatory Monocytes in the Peripheral Blood

In different cancers, DC maturation and anti-tumor inflammatory macrophages were observed in plinabulin-responding patients

Dendritic Cell Maturation & Migration



Proinflammatory monocyte/macrophages



- ▽ Fibrolamellar HCC

■ Hodgkin lymphoma
- Melanoma

○ Merkel Cell Carcinoma
- MSI-H CRC

▽ NSCLC
- △ RCC

▲ SCCHN
- PD

● PR + SD

Plinabulin as Potential Add-on Therapy to Current I/O Regimens to Address Severe Unmet Medical Needs

PD-1/PD-L1 Inhibitors
- >\$30B global annual sales

Potential to greatly expand the
addressable market

Current Severe Unmet Medical Needs

2L/3L: PD-1/PD-L1 relapsed/refractory patients

1L: PD-1/PD-L1 + chemo doubles anti-cancer efficacy of PD-1, but with CIN risk

“Cold” Tumor: PD-1/PD-L1 non-responsive tumor

Plinabulin:
APC Inducer
with easy
administration*

Plinabulin Clinical Development


Re-sensitize: Plinabulin + PD-1/PD-L1 + chemo/radiation/ADC

Increase Combo Anti-cancer Efficacy:
Plinabulin + PD-1/PD-L1 + chemo/ADC

Turn “cold” into “hot” Responding Tumor:
Plinabulin+ PD-1/PD-L1 + chemo/ADC;
Plinabulin + chemo/ADC


*Plinabulin IV Infusion: 1 or 2 dose per cycle (DUBLIN-3 Trial)

Plinabulin's Multiple MoAs, Proven Clinical Activity, and Strong Global Patent Protection are Highly Favorable for Partnerships with Immunotherapy Agents...and Beyond




Lead Asset Plinabulin displays dual IO MOAs

A first-in-class tubulin modulator that activates **dendritic cell** maturation and **M1-like macrophage** proliferation which **enables the cancer immunity cycle**



Proven clinical efficacy and safety

Successfully demonstrated significant **OS benefit** in 2L/3L NSCLC, as well as **reduction in severe neutropenia**, allowing **extended regimen duration**



Enhances the Cancer-Immunity cycle

Clinically enhanced the anti-tumor response to checkpoint inhibitors in combination with radiation or chemotherapy, even in **immunotherapy-refractory patients**








Strong global patent protection

BeyondSpring (est. 2010) is a global company that has **170 Granted/Allowed Patents to 2038 in 48 jurisdictions**

Plinabulin enhances the cancer immunity cycle to increase patient survival and reduce adverse events in combination use settings with a minimal patient administration schedule.

Plinabulin's multiple mechanisms of action provide strong rationale for its combination with both immunotherapy agents as well as neutropenia-limited agents such as chemotherapy and ADCs

Investment Highlights

	Plinabulin: Safety & Efficacy	Lead Asset Plinabulin: >700 cancer patients treated with good tolerability; Positive Phase 3 data in 2 indications
	Plinabulin Potential	Plinabulin: Dual Benefit in anti-cancer and prevention of CIN; Potential in re-sensitizing in PD-1/PD-L1 progressed patients in multiple cancers
	SEED: Novel TPD Platform & Pipeline	SEED: 8 Disclosed Pipeline Assets with 1 expected to enter IND in 2024
	Premier Partnerships	SEED: Investment and R&D Collaboration from Eli Lilly
	Intellectual Property	Strong IP and technology protection

thank you!

www.beyondspringpharma.com